PATENT COOPERATION TREATY

PCT

	REC'D	1	4	MAR	2005
ı	WIPO				PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applies	nte or co	aontia filo referenza	· · · · · · · · · · · · · · · · · · ·				
Applicant's or agent's file reference 0 2-F-0 0 2 PCT			FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
PCT/JP 02/13183			International filing da 17.12.2002		h/year)	Priority date (day/mo	nth/year)
Internat B01J2	ional Pat 23/50	ent Classification (IPC) or bo	th national classification	n and IPC		- I	
Application JAPAN		NCE AND TECHNOLO	OGY AGENCY et a	I.	:	.· .	
1. T	his inter uthority	national preliminary exan and is transmitted to the	nination report has b applicant according	een prepar to Article 36	ed by this Inte	ernational Preliminary	Examining
2. T	his REP	ORT consists of a total of	6 sheets, including	this cover	sheet.		
×		s report is also accompan n amended and are the b n Rule 70.16 and Section					wings which have fore this Authority
TH	nese ani	nexes consist of a total of	6 sheets.				
	· · · · ·			· ·			
3. Th	nis repor	t contains indications rela	iting to the following	items:			
1	\boxtimes	Basis of the opinion					
11		Priority	•			•	
Ш		Non-establishment of or	inion with regard to	novelty, inv	entive step a	nd industrial applicab	ilitv
IV	\boxtimes	Lack of unity of invention	1				•
V	\boxtimes	Reasoned statement un citations and explanation	der Rule 66.2(a)(ii) v ns supporting such s	vith regard tatement	to novelty, inv	ventive step or industr	ial applicability;
VI		Certain documents cited					
VI		Certain defects in the int	ernational applicatio	n		•	
VII		Certain observations on	the international app	lication		· .	
Date of su	Date of submission of the demand			Date of completion of this report			
30.01.20	30.01.2004			11.03.2005			
Name and mailing address of the international preliminary examining authority:				Authorized Officer			
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465			epmu d	Holzwar Telephone	th, A No. +49 89 23	899.7269	The state of the s
					····· T+3 03 23	199-1 <u>20</u> 3	Nome saino .

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP 02/13183

I. Basis	of the re	port
----------	-----------	------

1. With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): **Description, Pages** . :. 1-14 as originally filed Claims, Numbers 1, 2, 4-24 received on 03.06.2004 with letter of 03.06.2004 **Drawings, Sheets** 1/20-20/20 as originally filed 2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item. These elements were available or furnished to this Authority in the following language: the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)). the language of publication of the international application (under Rule 48.3(b)). the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3). 3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing: contained in the international application in written form. filed together with the international application in computer readable form. furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer readable form. The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. 4. The amendments have resulted in the cancellation of: the description. pages:

Nos.:

sheets:

3

図

the claims.

the drawings,

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP 02/13183

	5. 🗆	This report has been esta been considered to go be	olished ond the	as if (some e disclosure	of) the amendments h as filed (Rule 70.2(c))	ad not been	made, since they	' have	
		(Any replacement sheet coreport.)	ontainin	g such ame	ndments must be refe	erred to unde	er item 1 and anne	exed to this	
(6. Ad	dditional observations, if nece	essary:			•			
ı	V. La	ack of unity of invention							
•	1. In response to the invitation to restrict or pay additional fees, the applicant has:								
	\boxtimes	restricted the claims.		•			•	ż	
		paid additional fees.							
		paid additional fees under	orotest.	·			•		
		neither restricted nor paid a	addition	al fees.			· .		
2	. 🗆	This Authority found that th Rule 68.1, not to invite the	e requir applicar	rement of ur nt to restrict	nity of invention is not or or pay additional fees	complied wit	h and chose, acc	ording to	
3	3. This Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3 is								
		complied with.				÷			
		not complied with for the fol	lowing	reasons:	· ·			·	
4.	 Consequently, the following parts of the international application were the subject of international preliminary examination in establishing this report: 								
	\boxtimes	all parts.							
		the parts relating to claims I	los						
V.	Rea cita	soned statement under Ar tions and explanations sup	ticle 35 porting	(2) with reg g such state	ard to novelty, inven	ntive step o	r industrial applic	cability;	
1.	Stat	ement							
	Novelty (N)		Yes: No:	Claims Claims	2-24 1			41	
	Inve	ntive step (IS)	Yes: No:	Claims Claims	2-11, 21-22				
	Indu	strial applicability (IA)	Yes: No:	Claims Claims	1-24				
2.	Citat	ions and explanations							

see separate sheet

EXAMINATION REPORT - SEPARATE SHEET

Re Item IV

Lack of unity of invention

The application now is unitary (Rule 13.1 PCT)

Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

D1: EP-A-0764489

D4: GB-A-1 074 018 (ERDOELCHEMIE GMBH) 28 June 1967 (1967-06-28)

D5: US-A-5 958 367 (ANTONELLI DAVID M ET AL) 28 September 1999 (1999-09-28)

D6: US-A-4 797 267 (KUEHL GUENTER H) 10 January 1989 (1989-01-10)

- 1. The claims do not comply with the requirements of Art. 6 PCT, because of the following reasons:
- 1.1 The term "metal oxide salt material" in claim 12, 13, 14 is not clear.
- 1.2 The term "highly" in claim 12, 13, 14 is a vague relative term and will therefore be disregarded in the following.
- 2. The present application does not comply with the requirements of Art. 33 PCT, because of the following reasons:
- **2.1 D1** (page 3, lines 5-23 and 53-57; figures 1, 10 A, 10B; page 4, lines 39-56; page 6, lines 5-21; example 1; tables 3,4) discloses sponge-like materials. The structure of the porous materials according to D1 (figures 1, 10A) and of the comparative examples in D1 (figure 10B, comparative examples 1,2) look quite similar to the present invention, being composed of rods, which construct an open framework architecture.

Furthermore it is not clear what the advantage is of materials prepared by the process of the present application, as far as the product is concerned.

Therefore the subject matter of at least the claim 1 is not novel in view of D1.

2.2 D5 (column 2, lines 56-60; column 3, lines 29-37; column 7, lines 41-57; column 8, lines

36-47) discloses a porous hexagonally-packed metal oxide material, with rod-shaped crystals. D6 (column 1, lines 15-24; figures 8a, 8b; examples 19,20) discloses a preparation procedure for rod shaped ZSM-5 zeolite crystals. These zeolites are porous and contain aluminum oxide (a metal oxide). The materials in D5 and D6 are porous and can therefore be viewed as "sponge-like material" in the sense of claim 1 of the present application.

Therefore the subject matter of at least the claims 1 is not novel in view of D5 and D6.

- 2.3 Dependent claims 2-11 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, meet the requirements of the EPC with respect to novelty and/or inventive step, because said additional features are either disclosed in the prior art documents (see above) or are trivial or within the competence of a skilled person looking for alternative materials.
- 2.4 D4 (column 1, line 38- column 3, line 18; example 1; claims 1-8, 10) disclose porous metals or porous metal oxides, which are sponge materials. D4 (example 1) also discloses specifically, that these materials are suitable as a silver catalysts.

Therefore the subject-matter of claims 21-22 does not involve an inventive step in the sense of Article 33(3) PCT with respect to a combination of D1 and D4.

3. D1 (page 3, lines 5-23 and 53-57; figures 1, 10 A, 10B; page 4, lines 39-56; page 6, lines 5-21; example 1; tables 3,4) discloses a preparation procedure for porous metals, which are sponge materials, wherein a mixture including a metal powder and a water soluble resin binder, which maybe a highly water soluble carbohydrate polymer (example 1; page 4, lines 50-35) is dried and subsequently baked.

The main difference of claims 12, 13 and 14 to D1 is, that in D1 metal powders are used, which are not water soluble and do not form colloidal solutions.

As the application describes an alternative process for the preparation of sponge-like materials and inventive step can be recognized for the subject matter of claims 12, 13 and 14 and their dependent claims.

EXAMINATION REPORT - SEPARATE SHEET

Claims:

- 1. (Amended) A metal or metal oxide porous material comprising rod-shaped crystals of a metal or metal oxide, which construct an open framework architecture, thereby forming a sponge-like material.
- 2. (Amended) The metal or metal oxide porous material of claim 1, which is a soft or hard sponge-like material, depending on its preparation conditions.
- 3. (Cancelled)
- 4. (Amended) The metal or metal oxide porous material according to anyone of claims 1 or 2, wherein the cross-sectional dimension of the rod-shaped crystal, taken in a direction perpendicular to the length-wise direction, is between 1μm to 50μm depending on its preparation conditions.
- 5. (Amended) The metal porous material according to anyone of claims 1, 2 and 4, wherein the metal is selected from the group consisting of noble metals and transition metals.
- 6. The metal porous material according to claim 5, wherein the noble metal is silver or gold.
- 7. (Amended) The metal porous material according to anyone of claims 1, 2 and 4, wherein the metal is composed of more than one type of metal element.
- 8. (Amended) The metal oxide porous material according to anyone of claims 1, 2 and 4, wherein the metal oxide is selected from transition metal oxides.
- 9. (Amended) The metal oxide porous material according

CLMSPAMD. PCTUP:02. 2004年 6月 38 休) 16:48/韻16:45/文書号4503499305 P 14

to claim 8, wherein the transition metal oxide is iron oxide.

15/1

2004年 6月 3日(木)16:48/顓16:45/文番号4503499305 P 15

- 10. (Amended) The metal oxide porous material according to anyone of claims 1, 2 and 4, wherein the metal cmide is composed of more than one type of metal oxide.
- 11. (Amended) The metal or metal oxide porous material according to anyone of claims 1, 2, 4 to 10, which further comprises particles of a different type of metal element or metal oxide on its surface.
- 12. (Amended) A method for preparing the metal or metal oxide porous material of anyone of claims 1, 2, 4 to 10, which comprises:

preparing an aqueous viscous solution of metal or metal oxide salt material and dextran or a highly water soluble carbohydrate polymer;

allowing said aqueous viscous solution to self-solidify to form a solid matter; and

baking said solid matter.

- 13. (Amended) A method for preparing the metal or metal oxide porous material of claim 11, which comprises: preparing an aqueous viscous solution of metal or metal exide salt material, destran or a highly water soluble carbohydrate polymer, and a different type of matal or metal oxide salt material;
 - allowing said aquecus viscous solution to self-solidify to form a solid matter; and baking said solid matter.
- 14. (Amended) A method for preparing the metal or metal oxide porous material of anyone of claims 1, 2, 4, 8 to 10, which comprises:

2004年 6月 3日(木) 16:48/蓄積16:45/文書号4503499305 P 16

preparing an aqueous viscous solution of colloidal metal oxide particles and dextran or highly water soluble carbohydrate polymer of glucose; allowing said aqueous viscous solution to self-solidify to form a solid matter; and baking said solid matter.

- 15. (Amended) The method according to anyone of claims 12 to 14, wherein the baking process is carried out at a temperature of not less than 500°C.
- 16. (Amended) The method according to claim 15, wherein the baking process is carried out at a temperature in a range from not less than 500°C up to 900°C.
- 17. (Amended) The method according to anyone of claims 12 to 16, wherein the carbohydrate polymer is a polymaccharide.
- 18. (Amended) The method according to anyone of claims 12 to 17, wherein dextran or the carbohydrate polymer in the aqueous viscous solution has a concentration in the range of 10 to 80% by weight and the metal, metal oxide salt material, or colloidal metal oxide has a concentration in the range of 10 to 90% by weight.
- 19. (Amended) The method according to claim 18, wherein the metal, metal oxide salt material, or colloidal metal oxide has a concentration in the range of 15 to 60% by weight.
- 20. (Amended) The method according to anyone of claims 14 to 19, wherein dextran or the carbohydrate polymer in the aqueous viscous solution has a molecular weight in the range of 10,000 to 500,000.

2004年 6月 3日(木)16:49/蓄積16:45/文書号4503499305 P 18

- 21. (Amended) A metal or metal oxide catalyst which comprises the metal oxide porous material according to any one of claims 1, 2, and 4 to 11 as at least one type of effective active component.
- 22. (Amended) The metal or metal oxide catalyst according to claim 21, wherein the metal is silver.
- 23. (Amended) The method according to anyone of claims 12 to 20, wherein the metal, metal oxide salt material, or colloidal metal oxide are added to the aqueous viscous solution in the form of nanoparticles or microparticles.
- 24. (New) The method according to any one of claims 12 to 20, wherein the aqueous solution further contains nanoparticles or microparticles of a metal, metal oxide salt material, or colloidal metal oxide.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.